

# TABLE OF CONTENTS

Industry overview	1
Iron and steel	2
Cement	3
Chemicals and petrochemicals	4
Pulp and paper	5
Aluminium	6
Cross-cutting options	7
Impacts on materials demand	8
Policy implications	9
Annex A: Regional detail of industry analysis	A
Annex B: Energy and CO <sub>2</sub> indicators	B
Annex C: Framework assumptions	C
Annex D: Definitions, abbreviations, acronyms and units	D
Annex E: References	E

	<b>Foreword</b> . . . . .	<b>3</b>
	<b>Acknowledgements</b> . . . . .	<b>5</b>
	<b>Table of contents</b> . . . . .	<b>7</b>
	List of figures . . . . .	13
	List of tables. . . . .	19
	<b>Executive summary.</b> . . . .	<b>23</b>
<b>Chapter 1</b>	<b>Industry Overview</b> . . . . .	<b>29</b>
	<b>Introduction</b> . . . . .	<b>30</b>
	<b>Energy and CO<sub>2</sub> savings potential with best available technologies.</b> . . . . .	<b>31</b>
	<b>Industry scenarios</b> . . . . .	<b>32</b>
	Demand projections for industry . . . . .	33
	Industrial energy use . . . . .	34
	Electricity use in industry . . . . .	35
	<b>CO<sub>2</sub> Emissions in industry</b> . . . . .	<b>36</b>
	Technologies for reducing direct CO <sub>2</sub> emissions . . . . .	38
	<b>Regional implications</b> . . . . .	<b>41</b>
	<b>Investment costs in industry</b> . . . . .	<b>43</b>
	<b>RDD&amp;D needs.</b> . . . .	<b>45</b>
	<b>Policy implications</b> . . . . .	<b>46</b>
<b>Chapter 2</b>	<b>Iron and Steel</b> . . . . .	<b>49</b>
	<b>Introduction</b> . . . . .	<b>50</b>
	<b>Trends in energy efficiency and CO<sub>2</sub> emissions</b> . . . . .	<b>51</b>
	<b>Best available technology and technical savings potential.</b> . . . .	<b>52</b>
	<b>R&amp;D programmes</b> . . . . .	<b>56</b>
	<b>Scenario analysis</b> . . . . .	<b>57</b>
	Cost of CO <sub>2</sub> reductions in the iron and steel sector . . . . .	63

	<b>New technology options. . . . .</b>	<b>65</b>
	New coal-based processes	65
	Smelting reduction processes	65
	Coal-based direct reduced iron (DRI)	66
	Fuel switching	67
	Gas-based DRI	67
	Use of charcoal	68
	Use of waste plastic	69
	Electricity-based steel-making	69
	Use of hydrogen	70
	CO <sub>2</sub> capture and storage	70
	<b>Material flows and material flow optimisation. . . . .</b>	<b>72</b>
	Materials use and efficiency	73
	<b>Conclusion: transition pathway for the iron and steel sector . . .</b>	<b>74</b>
<b>Chapter 3</b>	<b>Cement</b>	<b>77</b>
	<b>Introduction. . . . .</b>	<b>78</b>
	<b>Cement production process and technologies. . . . .</b>	<b>78</b>
	<b>Trends in energy efficiency and CO<sub>2</sub> emissions. . . . .</b>	<b>81</b>
	Technology and fuel consumption in cement production	82
	Alternative fuel use in cement production	83
	CO <sub>2</sub> emissions from cement production	85
	<b>Best available technology and technical savings potential. . .</b>	<b>86</b>
	<b>R&amp;D programmes. . . . .</b>	<b>90</b>
	<b>Scenario analysis. . . . .</b>	<b>90</b>
	Costs of CO <sub>2</sub> reduction in the cement sector	97
	<b>New technology options. . . . .</b>	<b>98</b>
	CO <sub>2</sub> capture and storage	99
	Oxyfuel technology as part of CO <sub>2</sub> capture and storage	99
	Post-combustion technologies: absorption	100
	CCS abatement costs in cement kilns	101
	New low-carbon cements	101
	<b>Conclusion: transition pathway for the cement sector. . . . .</b>	<b>103</b>

<b>Chapter 4</b>	<b>Chemicals and petrochemicals</b>	<b>105</b>
	.....	
	<b>Introduction</b> .....	<b>106</b>
	<b>Trends in energy efficiency and CO<sub>2</sub> emissions</b> .....	<b>107</b>
	<b>Best available technology and technical savings potential</b> .	<b>115</b>
	Process integration and process intensification at site level	117
	Combined heat and power (CHP)	117
	Recycling and energy recovery	117
	Age of capital stock and transition to BPT	118
	<b>Scenario analysis</b> .....	<b>119</b>
	Costs of CO <sub>2</sub> reduction in the chemical and petrochemical sector	125
	<b>New technology options</b> .....	<b>125</b>
	New olefin production technologies	125
	Other catalytic processes with improvement potential	127
	Membranes and other separation technologies	128
	Future process intensification potentials	129
	Bio-based chemicals and plastics	129
	CO <sub>2</sub> capture and storage in the chemical and petrochemical sector	130
	<b>Material flows and material flow optimisation</b> .....	<b>130</b>
	<b>Conclusion: transition pathway for the chemical and petrochemical sector</b> .....	<b>132</b>
<b>Chapter 5</b>	<b>Pulp and paper</b>	<b>135</b>
	.....	
	<b>Introduction</b> .....	<b>136</b>
	<b>Pulp and paper processes</b> .....	<b>137</b>
	Recovered paper	138
	<b>Trends in energy efficiency and CO<sub>2</sub> emissions</b> .....	<b>138</b>
	Energy efficiency index methodology	138
	Data issues	141
	<b>Best available technology and technical savings potentials</b> .	<b>143</b>
	Age of the capital stock and transition to BAT	145
	<b>Scenario analysis</b> .....	<b>146</b>
	Costs of CO <sub>2</sub> reduction in the pulp and paper sector	151

	<b>New technology options. . . . .</b>	<b>152</b>
	Black liquor gasification	152
	Lignin production from black liquor	153
	Biomass gasification with synfuels production	153
	Biorefinery concepts	153
	CO <sub>2</sub> capture and storage (CCS)	154
	Paper-drying technologies	155
	<b>Material flows and demand analysis . . . . .</b>	<b>155</b>
	<b>Conclusion: transition pathway for the pulp and paper sector .</b>	<b>158</b>
<b>Chapter 6</b>	<b>Aluminium . . . . .</b>	<b>161</b>
	<b>Introduction . . . . .</b>	<b>162</b>
	<b>Trends in energy efficiency and GHG emissions. . . . .</b>	<b>163</b>
	Mining	164
	Alumina refining	164
	Anode production	166
	Smelting	166
	Recycled production	169
	<b>Best available technology and technical savings potentials .</b>	<b>169</b>
	<b>Scenario analysis . . . . .</b>	<b>171</b>
	Costs of CO <sub>2</sub> reductions in the aluminium sector	175
	<b>New technology options. . . . .</b>	<b>176</b>
	Improvements to the Hall-Héroult cell	176
	Wetted drained cathodes	177
	Inert anodes	177
	Alternative technologies	177
	Carbothermic reduction	177
	Kaolinite reduction	178
	Carbon capture and storage	178
	<b>Aluminium markets. . . . .</b>	<b>178</b>
	<b>Conclusion: transition pathway for the aluminium sector . .</b>	<b>179</b>
<b>Chapter 7</b>	<b>Cross-cutting options . . . . .</b>	<b>183</b>
	<b>Introduction . . . . .</b>	<b>184</b>

	<b>Biomass and biomass-waste use</b> . . . . .	<b>185</b>
	<b>Systems optimisation</b> . . . . .	<b>191</b>
	Electric motor-driven systems	191
	Steam systems	193
	Combined heat and power (CHP)	195
	CHP technologies	196
	CHP applications	196
	CHP barriers and policy solutions	197
	<b>Carbon capture and storage (CCS)</b> . . . . .	<b>198</b>
	<b>Recycling</b> . . . . .	<b>204</b>
	Use of recycled aluminium	204
	Use of scrap iron and steel	206
	Use of recovered paper	207
	Use of recycled plastic	207
	<b>Municipal solid waste and by-products</b> . . . . .	<b>208</b>
	<b>Reducing other GHG emissions.</b> . . . . .	<b>209</b>
<b>Chapter 8</b>	<b>Impacts on materials demand</b> . . . . .	<b>211</b>
	<b>Introduction</b> . . . . .	<b>212</b>
	<b>Power sector</b> . . . . .	<b>213</b>
	Materials needs for PV technologies	217
	<b>Transport sector</b> . . . . .	<b>219</b>
	Base year (2005) estimates	220
	Future scenarios	222
	Vehicle sales and total materials use by scenario	224
	<b>Building sector</b> . . . . .	<b>229</b>
<b>Chapter 9</b>	<b>Policy implications</b> . . . . .	<b>235</b>
	<b>Introduction</b> . . . . .	<b>236</b>
	<b>Energy efficiency policies</b> . . . . .	<b>236</b>
	<b>Research, development and demonstration.</b> . . . . .	<b>240</b>
	Priority near-term RD&D targets for the development of lower-carbon technologies	241
	Public-private partnerships	242

	<b>Emissions trading</b> . . . . .	<b>244</b>
	The impacts of ETSs on competitiveness and carbon leakage	247
	Options to reducing carbon leakage	249
	<b>Sectoral approaches</b> . . . . .	<b>250</b>
	Implementing sectoral approaches	253
	Coverage and data availability	254
	Domestic implementation issues	255
	Carbon leakage	255
	Challenges on the demand side	255
	Sectoral approaches: the logical next step for international action?	257
	<b>Conclusions</b> . . . . .	<b>257</b>
<b>Annex</b>	<b>A Regional detail of industry analysis</b>	<b>259</b>
<b>Annex</b>	<b>B Energy and CO<sub>2</sub> indicators</b>	<b>271</b>
<b>Annex</b>	<b>C Framework assumptions</b>	<b>283</b>
<b>Annex</b>	<b>D Definitions, abbreviations, acronyms and units</b>	<b>289</b>
<b>Annex</b>	<b>E References</b>	<b>305</b>

## LIST OF FIGURES

### Executive Summary and

#### Chapter 1 Industry Overview

ES.1	Technologies for reducing direct CO <sub>2</sub> emissions from industry, 2006 to 2050	25
1.1	Direct CO <sub>2</sub> emissions in industry by sector and by region, 2006	30
1.2	Materials production under the low-demand case, 2006, 2030 and 2050	33
1.3	Final energy use in industry	34
1.4	Electricity use by sector, as a share of final energy use under the Baseline and BLUE scenarios, 2006 and 2050	35
1.5	Total industry emissions in Baseline and BLUE scenarios, 2006 and 2050	36
1.6	Total industrial energy use and CO <sub>2</sub> emissions in the BLUE low 2050 scenario	37
1.7	Contribution to total direct and indirect emissions reduction under the BLUE scenarios compared to Baseline scenarios	37
1.8	CO <sub>2</sub> intensity of electricity production by scenario	38

1.9	Technologies for reducing direct CO <sub>2</sub> emissions in industry, 2006 to 2050	39
1.10	Direct energy and process CO <sub>2</sub> emissions in industry by sector	40
1.11	Direct CO <sub>2</sub> emissions in industry by region under the Baseline low-demand and BLUE low-demand scenarios, 2006 to 2050	41
1.12	Share of direct CO <sub>2</sub> emissions in industry by region under the BLUE low-demand scenario, 2006 and 2050	42
1.13	Abatement cost curves for industry	44

## Chapter 2 Iron and Steel

2.1	Energy savings potential in 2006, based on best available technology	54
2.2	Regional crude steel production, 2006 to 2050	59
2.3	CO <sub>2</sub> emissions by scenario, 2006 and 2050	59
2.4	Final energy consumption by scenario, 2006 and 2050	60
2.5	Iron and steel direct CO <sub>2</sub> intensity index in the Baseline and BLUE scenarios, 2006 to 2050	61
2.6	Direct CO <sub>2</sub> emissions reductions below the Baseline scenario, 2006 to 2050	62
2.7	Direct CO <sub>2</sub> emissions by region and by scenario, 2006 and 2050	62
2.8	Steel scrap availability and recycling rate, BLUE low scenario, 1970 to 2050	72

## Chapter 3 Cement

3.1	Share of cement kiln technology by region, 1990 to 2006	82
3.2	Thermal energy consumption per tonne of clinker by country, including alternative fuels, 1990 to 2006	83
3.3	Alternative fuel use in clinker production in Europe, 1990 to 2006 (percentage of total thermal fuel use)	85
3.4	Thermal fuel CO <sub>2</sub> emissions per tonne of cement by country, 1990 to 2006	86
3.5	Energy savings potential based on best available technology in 2006	87
3.6	CO <sub>2</sub> savings potential based on best available technology in 2006	88
3.7	Distribution of thermal fuel consumption for clinker production in Europe and North America, 2006	89
3.8	Cement consumption by sector in the United States and India	91
3.9	Regional cement production 2006 to 2050	93
3.10	Final energy consumption by scenario, 2006 and 2050	94
3.11	CO <sub>2</sub> emissions by scenario, 2006 and 2050	95

3.12	CO <sub>2</sub> emissions reductions below the Baseline, 2006 to 2050	96
3.13	Direct CO <sub>2</sub> emissions by region and by scenario, 2006 and 2050	97

## Chapter 4 Chemicals and Petrochemicals

4.1	Regional breakdown of final energy savings potential by means of BPT and other measures related to the chemical and petrochemical sector, 2006	116
4.2	Estimated development of HVC production capacity in OECD and non-OECD countries in the BLUE scenarios, 2006 to 2050	119
4.3	Regional HVC, ammonia and methanol production and total consumption between 2006 and 2050 in the BLUE scenarios	122
4.4	Final energy consumption by scenario, 2006 and 2050	123
4.5	CO <sub>2</sub> emissions by scenario, 2006 and 2050	123
4.6	Direct CO <sub>2</sub> emissions by region and by scenario, 2006 and 2050	124
4.7	CO <sub>2</sub> emission reductions below the Baseline scenario, 2006 to 2050	125
4.8	Estimated plastics flows to end-sectors and final products in the global economy, 2006	131

## Chapter 5 Pulp and Paper

5.1	Global paper and pulp production, 1990 and 2006	136
5.2	Heat efficiency potentials	140
5.3	Energy savings potentials in 2006, based on best available technology	143
5.4	Age distribution of pulp mills	145
5.5	Age distribution of paper mills	146
5.6	Regional paper and paperboard production, 2006 to 2050	147
5.7	Energy use by fuel and region in 2006 and 2050 by scenario	148
5.8	CO <sub>2</sub> emissions by scenario, 2006 and 2050	149
5.9	CO <sub>2</sub> emission reductions below Baseline scenario, 2006 to 2050	150
5.10	Direct CO <sub>2</sub> emissions by region and by scenario, 2006 and 2050	150
5.11	Material and product flows for a biorefinery	154
5.12	Wood products flow	156
5.13	Wood production by category, 1990 and 2006	157
5.14	Biomass use by application in 2006 and BLUE 2050	157

## Chapter 6 Aluminium

6.1	Global aluminium flows, 2007	163
6.2	Regional average energy use of metallurgical alumina production	165

6.3	Smelter technology mix, 1990 to 2007	166
6.4	Regional specific power consumption in aluminium smelting	167
6.5	Average PFC emissions per tonne of aluminium	168
6.6	Sources of electricity production for aluminium smelting by region	168
6.7	Share of scrap in aluminium production, 1950 to 2010	169
6.8	Energy savings potentials in 2006, based on best available technology	170
6.9	Primary aluminium production in Baseline Scenarios, 2006 to 2050	172
6.10	Final energy consumption by scenario, 2006 and 2050	173
6.11	CO <sub>2</sub> emissions by scenario, 2006 and 2050	174
6.12	Direct CO <sub>2</sub> emission reductions below Baseline scenario, 2006 to 2050	174
6.13	CO <sub>2</sub> emissions by region and by scenario, 2006 to 2050	175
6.14	Global end-use markets for aluminium, 2006	179

## Chapter 7 Cross-Cutting Options

7.1	Use of biomass and waste in the industrial sector	186
7.2	Use of biomass in the industrial sector by region	187
7.3	Technical biomass resource potentials by region in 2050	188
7.4	The world's forests	188
7.5	Final consumption of biomass and waste by region in 2006	189
7.6	CHP share of total national power production	195
7.7	Reductions in industry direct CO <sub>2</sub> emissions in the BLUE scenarios against the Baseline scenarios, 2050	199
7.8	Breakdown of industrial CO <sub>2</sub> emissions reductions from CCS by sector, 2050	200
7.9	Regional breakdown of CCS in the industry sector in the BLUE scenarios	200
7.10	Share of CCS by sector in the BLUE Map scenario	201
7.11	Map of sedimentary basins and their storage potential	203
7.12	Share of recycled materials by industry	204
7.13	Use of aluminium scrap by region in the BLUE low scenario, 2050	205
7.14	Use of iron and steel scrap by region in the BLUE low scenario, 2050	206
7.15	Use of recovered paper by region	207
7.16	Methane emissions from solid waste management	210

## Chapter 8 Impacts on Materials

8.1	Installed power capacity by technology in the Baseline scenario, 2010 to 2050	213
-----	---	-----

8.2	Installed power capacity by technology in the BLUE Map scenario, 2010 to 2050	214
8.3	Cumulative steel, cement and copper consumption in the Baseline and BLUE Map scenarios, 2010 to 2050	216
8.4	Cumulative plastics, aluminium, fibreglass and uranium consumption in Baseline and BLUE Map scenarios, 2010 to 2050	217
8.5	Estimated cumulative material needs (2010 to 2050) for PV technologies in the BLUE Map scenario assuming single technologies and a mix of technologies	218
8.6	Estimated annual peak material demand in 2010 to 2050 compared to 2008 production for a mix of technologies and for a single technology	219
8.7	Material composition and weight of North American and European gasoline and diesel LDVs, 2005	221
8.8	Average vehicle weight by region, 2005	222
8.9	(a) – (d): Baseline materials projections by vehicle type	223
8.10	Light-duty vehicle sales by technology/fuel, Baseline to 2050	225
8.11	Light-duty vehicle sales by technology/fuel, ETP BLUE Map to 2050	225
8.12	Cumulative demand over time, Baseline scenario	226
8.13	Cumulative demand over time, BLUE Map scenario	226
8.14	Baseline and BLUE Map use of materials base with recycling	228
8.15	Existing, new build and refurbished residential building stock by scenario in the OECD	231
8.16	Cumulative materials use in the OECD residential sector in the Baseline and BLUE Map scenarios, 2005 to 2050	232
8.17	Share of cumulative additional materials demand in the BLUE low-demand scenario by source, 2005 to 2050	233

## Chapter 9 Policy Implications

9.1	Energy efficiency policies and measures for industry	238
9.2	Near-term technology development priorities and CO <sub>2</sub> mitigation for industrial energy technologies	241
9.3	Beyond offsets: an illustration of sectoral no-lose targets	252

## Annex A Regional detail of industry analysis

A.1	Total industrial CO <sub>2</sub> emissions in China in Baseline and BLUE scenarios, 2006 and 2050	259
A.2	Industrial energy use and CO <sub>2</sub> emissions in China in the BLUE low scenario, 2050	260
A.3	Total industrial CO <sub>2</sub> emissions in India in Baseline and BLUE scenarios, 2006 and 2050	261

A.4	Industrial energy use and CO <sub>2</sub> emissions in India in the BLUE low scenario, 2050	261
A.5	Total industrial CO <sub>2</sub> emissions in OECD Europe in the Baseline and BLUE scenarios, 2006 and 2050	262
A.6	Industrial energy use and CO <sub>2</sub> emissions in OECD Europe in the BLUE low scenario, 2050	262
A.7	Total industrial CO <sub>2</sub> emissions in OECD North America in the Baseline and BLUE scenarios, 2006 and 2050	263
A.8	Industrial energy use and CO <sub>2</sub> emissions in OECD North America in the BLUE low scenario, 2050	264
A.9	Total industrial CO <sub>2</sub> emissions in OECD Pacific in Baseline and BLUE scenarios, 2006 and 2050	264
A.10	Industrial energy use and CO <sub>2</sub> emissions in OECD Pacific in the BLUE low scenario, 2050	265
A.11	Total industrial CO <sub>2</sub> emissions in other developing Asia in the Baseline and BLUE scenarios, 2006 and 2050	266
A.12	Industrial energy use and CO <sub>2</sub> emissions in other developing Asia in the BLUE low scenario, 2050	266
A.13	Total industrial CO <sub>2</sub> emissions in Africa and the Middle East in Baseline and BLUE scenarios, 2006 and 2050	267
A.14	Industrial energy use and CO <sub>2</sub> emissions in Africa and the Middle East in the BLUE low scenario, 2050	257
A.15	Total industrial CO <sub>2</sub> emissions in economies in transition in the Baseline and BLUE scenarios, 2006 and 2050	268
A.16	Industrial energy use and CO <sub>2</sub> emissions in economies in transition in the BLUE low scenario, 2050	269
A.17	Total industrial CO <sub>2</sub> emissions in Latin America in the Baseline and BLUE scenarios, 2006 and 2050	269
A.18	Industrial energy use and CO <sub>2</sub> emissions in Latin America in the BLUE low scenario, 2050	270
<b>Annex</b>	<b>B Energy and CO<sub>2</sub> indicators</b>	
B.1	Allocation issues for CHP	274
<b>Annex</b>	<b>C Framework Assumptions</b>	
C.1	World GDP by region in 2006 and 2050 (based on purchasing power parities)	284
C.2	Per capita GDP in 2006 and 2050 (based on purchasing power parities)	285

## LIST OF TABLES

### Chapter 1 Industry Overview

1.1	Potential savings from adoption of best available technologies in industry	31
1.2	Percentage of direct emissions reductions by sector in BLUE low- and high-demand scenarios, 2050	40
1.3	Direct CO <sub>2</sub> reductions in industry by region under the Baseline and BLUE low-demand scenarios to 2050	42
1.4	Investment needs in industry under the Baseline and BLUE scenarios, 2050	44
1.5	Technology requirements in industry	45

### Chapter 2 Iron and Steel

2.1	Global steel production, 2006	53
2.2	Crude steel demand projections for the low- and high-demand cases, 2006 to 2050	58
2.3	Economics of fuel switching and reduction options	63
2.4	Investment needs for iron- and steel-making, 2010 to 2050	64
2.5	Energy use for gas-based DRI production	68

### Chapter 3 Cement

3.1	Heat consumption of different cement kiln technologies	80
3.2	Typical composition of different cement types	80
3.3	Global cement production, 2006	81
3.4	Cement demand scenario projections	92
3.5	Availability of clinker substitutes in the BLUE scenario, 2005 and 2050	94
3.6	Estimated availability of selected alternative fuels, 2005 and 2050	95
3.7	Estimated cumulative additional investment needs in the BLUE scenarios, 2005 to 2050	98

### Chapter 4 Chemicals and Petrochemicals

4.1	BPT values on the specific energy consumption for the production of key chemicals	110
4.2	Energy improvement potential by BPT in the global chemical and petrochemical sector, 2006	114
4.3	Worldwide energy saving potential by means of BPT and other measures related to the chemical and petrochemical sector, 2006	116
4.4	Per capita low- and high-demand scenario consumption projections of HVC, ammonia and methanol for 2005, 2015, 2030 and 2050	120

4.5	Comparison of conventional olefin production by steam cracking with new processes	126
4.6	Overview of estimated CCS costs in the chemical and petrochemical sector	130
<b>Chapter 5</b>	<b>Pulp and Paper</b>	
5.1	Best available technology	139
5.2	Analysis of reported biomass use in 2006	142
5.3	Energy efficiency technologies energy savings, cost and CO <sub>2</sub> reductions	144
5.4	Low and high demand paper and paperboard demand projections for 2005, 2015, 2030 and 2050	146
5.5	Investment needs for pulp and paper making, 2010 to 2050	151
<b>Chapter 6</b>	<b>Aluminium</b>	
6.1	Global primary aluminium production, 2007	162
6.2	Primary energy use in the aluminium industry by process step	164
6.3	Per capita and total aluminium demand by region	171
6.4	Cost of aluminium smelter upgrade options	176
<b>Chapter 7</b>	<b>Cross-Cutting Options</b>	
7.1	Biomass and waste usage in the industrial sector and potential	190
7.2	Cost estimates for emerging motor technologies	193
7.3	Steam system efficiency measures	194
7.4	CHP applications	197
7.5	Regional capture potential and industrial capture in the BLUE scenarios, 2050	202
<b>Chapter 8</b>	<b>Impacts on Materials</b>	
8.1	Average material use by technology	215
8.2	Specialty material needs for various PV technologies	217
8.3	Material composition of European light-duty vehicles, 2005	221
8.4	Production and reserves of various materials	228
8.5	Indicative range of materials used in residential dwellings, OECD	229
8.6	Dwelling stock and retirement rates in selected EU countries, 1980 to 2002/03	230
<b>Chapter 9</b>	<b>Policy Implications</b>	
9.1	Summary of reviewed policies	239
9.2	Key technology priorities for industry RD&D	240

9.3	Overview of existing and considered emissions trading systems	245
9.4	Carbon leakage estimates for different manufacturing sectors	248
9.5	Measures to address carbon leakage	250
<b>Annex</b>	<b>B Energy and CO<sub>2</sub> indicators</b>	
	.....	
B.1	Summary of indicators available for each sector	278
<b>Annex</b>	<b>C Framework Assumptions</b>	
	.....	
C.1	Population projections, 2006 to 2050	283
C.2	GDP projections, 2006 to 2050 (based on purchasing power parities)	285
C.3	Oil, gas and coal price projections for the Baseline scenarios (in USD 2007 price per unit)	286