

# TABLE OF CONTENTS

Transport trends and future scenarios	1
Transport fuels	2
Light-duty vehicles	3
Light-duty vehicle efficiency: policies and measures	4
Passenger travel	5
Truck and rail freight transport	6
Aviation	7
Maritime transport	8
Annex A: Mobility model documentation	A
Annex B: Abbreviations, acronyms and units	B
Annex C: References	C

	<b>Foreword</b> . . . . .	<b>3</b>
	<b>Acknowledgements</b> . . . . .	<b>5</b>
	List of figures . . . . .	16
	List of tables . . . . .	22
	List of boxes . . . . .	25
	<b>Executive summary</b> . . . . .	<b>29</b>
<b>Chapter 1</b>	<b>Transport trends and future scenarios</b> . . . . .	<b>43</b>
	<b>Key findings</b> . . . . .	<b>43</b>
	<b>Introduction</b> . . . . .	<b>44</b>
	<b>Worldwide mobility and energy use trends</b> . . . . .	<b>45</b>
	Transport activity . . . . .	49
	Recent trends in passenger travel . . . . .	50
	Energy efficiency by mode . . . . .	52
	<b>Projections and scenarios</b> . . . . .	<b>53</b>
	Scenarios covered in this publication . . . . .	54
	Scenario results . . . . .	57
	Energy and GHG intensity . . . . .	58
	Energy use scenarios . . . . .	62
	Projections for GHG emissions . . . . .	64
	Sources of GHG reduction . . . . .	67
<b>Chapter 2</b>	<b>Transport fuels</b> . . . . .	<b>71</b>
	<b>Key findings</b> . . . . .	<b>71</b>
	<b>Current status and trends</b> . . . . .	<b>72</b>
	<b>Future fuel scenarios</b> . . . . .	<b>73</b>
	Electricity scenarios . . . . .	76
	<b>Transport fuels and fuel production technologies</b> . . . . .	<b>83</b>
	Liquid fuels from conventional and unconventional oil feedstocks . . . . .	85
	Synthetic liquid fuels . . . . .	87
	Methanol and dimethyl ether . . . . .	89
	Ethanol . . . . .	89
	Biodiesel . . . . .	91

Hydrogen	94
Electricity	96
<b>Comparison of fuels . . . . .</b>	<b>96</b>
Fuel cost comparisons	96
Fuel cost analysis results	99
Comparative analysis of the results	100
<b>Review of the GHG characteristics of different fuels . . . . .</b>	<b>105</b>
GHG emission characteristics	105
GHG mitigation costs of fuels	109
<b>Chapter 3 Light-duty vehicles . . . . .</b>	<b>113</b>
<b>Key findings . . . . .</b>	<b>113</b>
<b>Introduction and historical trends . . . . .</b>	<b>114</b>
Passenger light-duty vehicles (LDVs)	114
LDV sales and shares by technology	114
Passenger LDV ownership	117
Passenger LDV production	121
Trade in second-hand vehicles	121
Trends in travel per vehicle	121
Trends in vehicle fuel economy	124
<b>Projections and scenarios . . . . .</b>	<b>124</b>
LDV fuel economy	126
Energy use and CO <sub>2</sub> emissions	128
<b>LDV technologies: current status. . . . .</b>	<b>128</b>
Internal combustion engine (ICE) vehicles	129
Advanced technologies and vehicles	133
Non-engine technologies	137
<b>LDV fuel economy potential and cost analysis. . . . .</b>	<b>142</b>
Gasoline and diesel engines	142
Hybrids	144
Plug-in electric hybrids (PHEVs)	145
Electric vehicles	149
Fuel cell vehicles (FCVs)	150
Summary of powertrain fuel economy and costs	151

	Non-engine technologies: fuel economy potentials, costs and emissions	153
	Comparison of vehicle costs and fuel economy improvement	154
	Implications of the analysis for non-OECD countries	169
<b>Chapter 4</b>	<b>Light duty vehicle efficiency: policies and measures</b>	<b>171</b>
	.....	
	<b>Key findings</b> .....	<b>171</b>
	<b>Introduction</b> .....	<b>172</b>
	<b>Overview of fuel economy policies</b> .....	<b>175</b>
	The European Union	176
	Japan	180
	The United States	181
	China	183
	Republic of Korea	184
	General considerations in designing fuel economy policies	185
	<b>On-road fuel efficiency</b> .....	<b>195</b>
	Vehicle components not covered in fuel economy tests	195
	Eco-driving and intelligent transportation systems	197
<b>Chapter 5</b>	<b>Passenger travel</b>	<b>203</b>
	.....	
	<b>Key findings</b> .....	<b>203</b>
	<b>Introduction</b> .....	<b>205</b>
	<b>IEA travel projection framework</b> .....	<b>207</b>
	<b>The BLUE Shifts scenario</b> .....	<b>214</b>
	<b>Two-wheelers, buses and rail: a review of technologies to help achieve the BLUE Map/Shifts scenario</b> .....	<b>218</b>
	Powered two-wheelers	219
	Buses	223
	Rail	231
	<b>Achieving the BLUE Shifts scenario</b> .....	<b>234</b>
	Travel changes by trip distance	235
	Urban policies	235

Non-urban policies	236
<b>A review of policies to help achieve the BLUE Shifts scenario . . . . .</b>	<b>237</b>
Land-use planning	237
Telework	241
Parking policies	243
Car-sharing systems	249
Road pricing	252
Bus rapid transit	256
Improving non-motorised transport	260
Cycling	261
Walking	264
Developing packages of measures	266
<b>Chapter 6 Truck and rail freight transport . . . . .</b>	<b>269</b>
<b>Key findings . . . . .</b>	<b>269</b>
<b>Current situation and recent trends. . . . .</b>	<b>270</b>
<b>Truck and rail freight transport: future scenarios . . . . .</b>	<b>274</b>
<b>Factors affecting truck and rail freight movement . . . . .</b>	<b>278</b>
Relationship between GDP and demand for freight transport	280
Other factors affecting freight transport growth	281
<b>Freight modal split . . . . .</b>	<b>283</b>
<b>Vehicle utilisation . . . . .</b>	<b>285</b>
Empty running of trucks	286
Trends in load weights and capacity use	286
<b>Vehicle efficiency . . . . .</b>	<b>289</b>
Opportunities for improving the fuel efficiency of trucking operations	292
Vehicle weights and dimensions	295
Non-technology efficiency measures	296
Effects of traffic congestion on fuel efficiency	297
<b>Energy intensity of rail freight operations . . . . .</b>	<b>298</b>
Opportunities for reducing the energy intensity of rail freight operations	299
Road-rail intermodal operations	299

	<b>Policies for surface freight movement . . . . .</b>	<b>301</b>
	Policies to manage total demand for truck and rail freight transport	302
	Shifting freight from road to rail	302
	Improving road vehicle utilisation	304
	Improving truck fuel efficiency	305
<b>Chapter 7</b>	<b>Aviation . . . . .</b>	<b>313</b>
	<b>Key findings . . . . .</b>	<b>313</b>
	<b>Aviation trends and scenarios . . . . .</b>	<b>314</b>
	Passenger travel	314
	Aircraft efficiency	316
	<b>Aviation technologies . . . . .</b>	<b>321</b>
	Propulsion technology potential	321
	Potential for improved aerodynamics	323
	Materials-related technology potential	326
	Operational and air traffic management system improvement potential	327
	Summary of technology potential	330
	Other environmental impacts of efficiency measures	330
	<b>Aircraft alternative fuels . . . . .</b>	<b>331</b>
	Biodiesel	332
	Fischer-Tropsch (FT) fuels from fossil feedstocks	332
	Fischer-Tropsch (FT) biomass-to-liquid (BTL) fuels	333
	Liquid hydrogen	333
	Fuels summary	334
	<b>Aircraft efficiency improvement costs and benefits . . . . .</b>	<b>334</b>
	Costs and benefits of aircraft improvements	334
	Increasing the efficiency of new aircraft in the future	335
	Accelerating fleet turnover	337
	Summary of cost analysis	338

Chapter	<b>8</b>	<b>Maritime transport</b>	<b>339</b>
		.....	
		<b>Key findings</b> .....	<b>339</b>
		<b>Background and recent trends in maritime transport</b> .....	<b>340</b>
		Energy efficiency of maritime transport	346
		Projected activity increase in shipping	347
		IEA scenarios of future maritime transport energy use and CO <sub>2</sub> emissions	349
		<b>Potential for energy savings and CO<sub>2</sub> reductions in maritime transport</b> .....	<b>351</b>
		Ship propulsion	351
		Review of technology and operational fuel saving strategies	353
		Overall fuel efficiency potential from technical and operational strategies	359
		Costs of CO <sub>2</sub> reduction	361
		Ship replacement and fleet turnover	362
		<b>Fuels for maritime shipping</b> .....	<b>363</b>
		<b>International GHG reduction policies for maritime transport</b>	<b>364</b>
		IMO CO <sub>2</sub> design index	366
		Voluntary CO <sub>2</sub> operational index and other measures	367
Annex	<b>A</b>	<b>Mobility Model documentation</b>	<b>369</b>
Annex	<b>B</b>	<b>Abbreviations, acronyms and units</b>	<b>379</b>
Annex	<b>C</b>	<b>References</b>	<b>387</b>

## LIST OF FIGURES

<b>Chapter 1</b>	<b>Transport trends and future scenarios</b>	<b>43</b>
Figure 1.1	World transport energy use by mode, 1971-2006	45
Figure 1.2	Transport sector energy use per capita, 2006	46
Figure 1.3	Cross dependencies of transport on oil, and of oil on transport	47
Figure 1.4	Motorised passenger travel split by mode, 2005	50
Figure 1.5	Passenger LDV stock, by type and region, 2005	51
Figure 1.6	GHG efficiency of different modes, freight and passenger, 2005	52
Figure 1.7	Population, GDP and oil price assumptions for 2005, 2030 and 2050 for the Baseline scenario	56
Figure 1.8	Passenger mobility by mode, year and scenario	58
Figure 1.9	Mobility split by type of transport, OECD and non-OECD	59
Figure 1.10	Passenger LDV ownership rates and GDP per capita in the Baseline and High Baseline scenarios, selected regions	60
Figure 1.11	Vehicle energy intensity evolution for passenger and freight, OECD and non-OECD	61
Figure 1.12	GHG intensity of passenger transport in 2005 and 2050, Baseline and BLUE Map scenarios	62
Figure 1.13	Evolution of energy use by fuel type, worldwide	63
Figure 1.14	Energy use by type of transportation and by region	64
Figure 1.15	Passenger mobility GHG emissions by mode	66
Figure 1.16	Freight mobility GHG emissions by mode	66
Figure 1.17	Sources of GHG emission reduction, transport sector	67
Figure 1.18	Transport GHG emissions by region and scenario, 2005 and 2050	69
<b>Chapter 2</b>	<b>Transport fuels</b>	<b>71</b>
Figure 2.1	Fuel use by region, 2005	72
Figure 2.2	Non-petroleum fuel use by region, 2005	73
Figure 2.3	Fuel type by region, Baseline scenario, 2050	74
Figure 2.4	Fuel type by region, BLUE Map scenario, 2050	75
Figure 2.5	Fuel type by region, BLUE EV scenario, 2050	75
Figure 2.6	Electricity generation by energy source, 2006	77

Figure 2.7	Total worldwide electricity generation by fuel, Baseline and BLUE Map	78
Figure 2.8	Sources of the additional worldwide electricity generation needed for the number of EVs projected in the BLUE Map scenario	78
Figure 2.9	Baseline and BLUE Map electricity generation in 2030 by region and fuel type	79
Figure 2.10	Additional generation needed for the number of EVs projected in the BLUE Map scenario, 2030	80
Figure 2.11	GHG intensity of electricity generation by region and scenario	81
Figure 2.12	New vehicle well-to-wheel CO <sub>2</sub> emissions per km by scenario and fuel type	82
Figure 2.13	Energy density of batteries and liquid fuels	85
Figure 2.14	Comparison of annual yields for algae-derived and other biofuels	94
Figure 2.15	Fuel cost estimates with oil at USD 60/bbl, fixed feedstock prices and no oil price effects on other input costs	101
Figure 2.16	Results of the three cases	104
Figure 2.17	Well-to-wheel emissions ranges (excluding land-use change) for a set of alternative fuels, compared with the emissions of a gasoline-powered vehicle	107
Figure 2.18	Mid-point estimate of GHG emissions per litre of gasoline equivalent	108
Figure 2.19	Incremental cost of alternative fuels as a function of their CO <sub>2</sub> saving potentials (USD 60/bbl)	109
Figure 2.20	Incremental cost of alternative fuels as a function of their CO <sub>2</sub> saving potentials (USD 120/bbl)	110
Figure 2.21	Cost per tonne GHG saved, well-to-wheel	110

## Chapter 3 Light-duty vehicles 113

Figure 3.1	Number of passenger LDVs by region and fuel	115
Figure 3.2	Share of diesel engines in LDV stocks in selected regions	115
Figure 3.3	LDV sales and stocks shares by technology and region, 2005	116
Figure 3.4	LDV stock and new registrations by technology and region, 2005	117
Figure 3.5	Passenger LDV ownership and personal income, 1970-2005	118
Figure 3.6	Used LDV flows around the world, 2005	122
Figure 3.7	Proportion of used imports in total new registrations, selected regions, 2005	123
Figure 3.8	New LDV tested fuel economy in various OECD countries, 1995-2007	124
Figure 3.9	LDV sales by technology and scenario per annum	125

Figure 3.10	Evolution of LDV sales by technology type in the BLUE Map scenario	126
Figure 3.11	Vehicle stocks by technology and scenario	127
Figure 3.12	New LDV tested fuel economy for selected regions, 2005-2050	127
Figure 3.13	LDV energy use by scenario	129
Figure 3.14	Variable valve timing and continuously variable transmission in passenger LDVs in Japan	131
Figure 3.15	Deep discharge and charge sustaining modes	135
Figure 3.16	Specific energy and specific power of different battery types	136
Figure 3.17	Energy use in a spark-ignition powered vehicle, excluding thermodynamic losses in the powertrain	137
Figure 3.18	Characteristics of different types of steel	141
Figure 3.19	Comparative incremental costs and potentials of different powertrain technologies	152
Figure 3.20	Incremental costs and potentials of different powertrain technologies, including non-engine technologies and material substitution	155
Figure 3.21	Incremental cost of vehicle over its lifetime with respect to the baseline PISI spark ignition ICE, societal analysis, with oil USD 60/bbl (near-term and medium- / long-term vehicle costs)	157
Figure 3.22	Incremental cost of vehicle over its lifetime with respect to the baseline PISI spark ignition ICE, societal analysis, with oil at USD 120/bbl (near-term and medium- / long-term vehicle costs)	158
Figure 3.23	Payback period, private analysis, with oil USD 60/bbl (near-term and medium- / long-term vehicle costs)	160
Figure 3.24	Payback period, private analysis, with oil at USD 120/bbl oil (near-term and medium- / long-term vehicle costs)	160
Figure 3.25	Lifetime incremental cost of vehicle and fuel combinations as a function of CO <sub>2</sub> savings, oil price at USD 60/bbl (near-term vehicle costs)	162
Figure 3.26	Lifetime incremental cost of vehicle and fuel combinations as a function of CO <sub>2</sub> savings, oil price at USD 60/bbl (medium- to long-term vehicle costs)	163
Figure 3.27	Cost per tonne of CO <sub>2</sub> saved over the vehicle life, oil price at USD 60/bbl (near-term and medium- / long-term vehicle costs)	164
Figure 3.28	Lifetime CO <sub>2</sub> reduction and incremental cost of vehicle and fuel combinations as a function of CO <sub>2</sub> savings, oil price at USD 120/bbl (near-term vehicle costs)	165

Figure 3.29	Lifetime CO <sub>2</sub> reduction and incremental cost of vehicle and fuel combinations as a function of CO <sub>2</sub> savings, oil price at USD 120 USD/bbl (medium- to long-term vehicle costs)	166
Figure 3.30	Cost per tonne of CO <sub>2</sub> saved over the vehicle life, oil price at USD 120 /bbl (near-term and medium- / long-term vehicle costs)	167
<b>Chapter 4</b>	<b>Light duty vehicle efficiency: policies and measures</b>	<b>171</b>
Figure 4.1	Average specific CO <sub>2</sub> emissions of new passenger cars in the EU Member States in 1995, 2000, 2004 and 2007	177
Figure 4.2	Limit value curve of the EU regulation	178
Figure 4.3	Vehicle sales by CO <sub>2</sub> emission categories in France, 2007-2008	180
Figure 4.4	United States CAFE standards	182
Figure 4.5	Reformed CAFE targets for model year 2011	183
Figure 4.6	Fuel efficiency and weight evolution, 1990-2006	187
<b>Chapter 5</b>	<b>Passenger travel</b>	<b>205</b>
Figure 5.1	Shares of trips in selected cities and years, motorised modes	206
Figure 5.2	Total stock of motorised road vehicles, by region, 2005	208
Figure 5.3	Total stock of vehicles in OECD and non-OECD countries, 2005 and 2050	208
Figure 5.4	Average travel per year by vehicle type, region, 2005	209
Figure 5.5	Average load factors by vehicle type, region, 2005	209
Figure 5.6	Estimated total annual passenger kilometres by mode and region, 2005	210
Figure 5.7	Estimated per capita annual passenger kilometres by mode and region, 2005	211
Figure 5.8	Passenger kilometres of travel by motorised mode: 2005 and Baseline scenario 2050, OECD and non-OECD	211
Figure 5.9	Passenger kilometres of travel per capita: 2005 and Baseline scenario 2050, OECD and non-OECD	212
Figure 5.10	Estimated urban passenger travel per capita and mode shares, 2005	213
Figure 5.11	Estimated non-urban passenger travel per capita and mode shares, 2005	213
Figure 5.12	Motorised travel per capita by scenario, OECD and non-OECD	215

Figure 5.13	Urban and non-urban motorised travel per capita by scenario, OECD and non-OECD	216
Figure 5.14	Total motorised travel by mode, scenario, OECD and non-OECD	217
Figure 5.15	Two-wheeler stock by region, 1990-2005	219
Figure 5.16	South-East Asia two-wheeler production and markets, 2007	220
Figure 5.17	Two-wheeler stock projections by region, year and scenario	221
Figure 5.18	Cost comparison of urban motorised modes in China	222
Figure 5.19	Electric two-wheelers stock evolution and share, by region	223
Figure 5.20	Bus stock and LDV stock evolution 1990-2005	224
Figure 5.21	Bus stock and urban bus fuel type in Europe, 2005	227
Figure 5.22	Total rail sector energy use and energy sources, 2006	230
Figure 5.23	2050 indicative modal shares by trip distance for the Baseline and BLUE Shifts scenarios	235
Figure 5.24	European telework shares by country, 1999	242
Figure 5.25	Cycle of automobile dependency	244
Figure 5.26	Mode shifts from cash-out programmes in California	248

## Chapter 6 **Truck and rail freight transport** **269**

Figure 6.1	Relationships and variables affecting freight transport energy use	271
Figure 6.2	Freight transport by truck and rail, 2005	271
Figure 6.3	Road freight trends by region, 2000 and 2005	272
Figure 6.4	Energy intensity, truck and rail, by region, 2005	273
Figure 6.5	Global average energy intensity trends by surface freight category	273
Figure 6.6	Energy use by freight category, OECD and Non-OECD, 2000 and 2005	274
Figure 6.7	Global truck and rail transport projections by mode, scenario and year	275
Figure 6.8	Truck energy use by fuel, scenario and year	276
Figure 6.9	Rail freight energy use by fuel, scenario and year	277
Figure 6.10	Well-to-wheel GHG emissions and source of reductions from truck and rail freight by scenario	277
Figure 6.11	Trends in the ratio of truck and rail volumes relative to GDP	280
Figure 6.12	Change in the optimal structure of a distribution system with increasing oil price	282
Figure 6.13	Road-rail modal split in EU Member States, 2006	283
Figure 6.14	Road share of inland freight transport in Central/Eastern Europe, 1995-2006	284

Figure 6.15	Trend in average payload weight on laden trips in Europe, 2006	287
Figure 6.16	Variations in mean weight and deck-area utilisation of 53 United Kingdom truck fleets operating in the food supply chain, laden trips	287
Figure 6.17	Fuel efficiency of trucks in the United Kingdom and United States, 1993-2007	290
Figure 6.18	Relationship between fuel efficiency/energy intensity and payload weight in a 40-tonne, 5-axle truck	291
Figure 6.19	Variations in the average fuel efficiency of trucks engaged in the distribution of food products	291
Figure 6.20	NO <sub>x</sub> and PM regulations in the United States, the European Union and Japan	292
Figure 6.21	CO <sub>2</sub> emissions at different vehicle average speeds	297
Figure 6.22	Energy intensity of rail freight operations in North America	298
Figure 6.23	Comparison of the primary energy consumption of intermodal road/rail service and road services on 19 European routes	300
Figure 6.24	Rates of implementation of fuel saving measures for users and non-users of advice from the UK Freight Best Practice (FBP) programme	305
Figure 6.25	Decline in average fuel efficiency as truck age increases	306
Figure 6.26	Effect of external factors on truck fuel efficiency in the United Kingdom, 1990-2005	308

## Chapter 7 Aviation 313

Figure 7.1	Passenger kilometres of travel by scenario and year	315
Figure 7.2	Trends in transport aircraft fuel efficiency	317
Figure 7.3	Average energy intensity of aircraft by region	318
Figure 7.4	Aircraft GHG emission projections by scenario	319
Figure 7.5	Radiative forcing effects from various aircraft GHG emissions	320
Figure 7.6	Fuel consumption map for jet engines	322
Figure 7.7	Open rotor engine design	323
Figure 7.8	Blended wing body – SAX-40 design	325
Figure 7.9	Ideal continuous descent trajectory	328
Figure 7.10	Value of fuel savings from efficiency improvements, starting from existing aircraft	336

<b>Chapter 8</b>	<b>Maritime transport</b>	<b>339</b>
.....		
Figure 8.1	Fuel use by vessel category, 2007	342
Figure 8.2	Trends in maritime transport volumes and related CO <sub>2</sub> emissions	343
Figure 8.3	Growth in maritime trade, world trade and GDP (indexed), 1994-2006	343
Figure 8.4	Global maritime traffic and CO <sub>2</sub> emissions, 2001	344
Figure 8.5	Integrated radiative forcing of current emissions by substance and by transport mode	345
Figure 8.6	GHG intensity of selected maritime freight transport modes	347
Figure 8.7	IEA projections of international shipping activity, energy intensity and energy use by scenario	349
Figure 8.8	International shipping energy use by scenario	350
Figure 8.9	Average age and gross tonnage of vessels withdrawn from commercial service	363
Figure 8.10	World fleet by flag and nationality of owner and operator, 1978-2007	365
Figure 8.11	CO <sub>2</sub> index and gross tonnage for ship groups, average and individual observations	367
<b>Annex A</b>	<b>Mobility Model Documentation</b>	<b>369</b>
Figure A.1	File structure of the IEA Mobility Model	371
Figure A.2	Flow diagram for motorised road modes in MoMo	374
Figure A.3	Determination of the cost of vehicles	376

## LIST OF TABLES

<b>Chapter 1</b>	<b>Transport trends and future scenarios</b>	<b>43</b>
.....		
Table 1.1	Growth rates of transport energy use, 1990-2006	47
Table 1.2	Scenario descriptions and main assumptions	55
Table 1.3	Electricity share – percent of generation by major energy source, year and scenario	65
<b>Chapter 2</b>	<b>Transport fuels</b>	<b>71</b>
.....		
Table 2.1	Fuels and their production process	84
Table 2.2	Comparison of the characteristics of various fuels	97

Table 2.3	Key assumptions characterising the fuel pathways considered: case 1	102
Table 2.4	Key assumptions characterising the fuel pathways considered: case 3	103

## Chapter 3 Light-duty vehicles 113

Table 3.1	Passenger LDV sales and stocks, 2000 and 2005	119
Table 3.2	Production of new passenger LDVs, and export destination, 2007	120
Table 3.3	Average LDV travel	123
Table 3.4	Estimated improvement potential and costs relative to a spark ignition engine, 2005	143
Table 3.5	Costs and improvement potentials for ICE-electric hybrids relative to a spark ignition engine in 2000-2005	144
Table 3.6	Costs and improvement potentials for plug-in ICE-electric hybrids relative to a spark ignition engine in 2000-2005	146
Table 3.7	Characteristics of batteries for different vehicles	148
Table 3.8	Costs and improvement potentials for FCV relative to a spark ignition engine in 2000-2005 (FC-EV hybrid configuration)	150
Table 3.9	Costs and potentials of different lighting technologies	153
Table 3.10	Assumptions for the cost-benefit analyses	156

## Chapter 4 Light-duty vehicle efficiency: policies and measures 171

Table 4.1	Status of measures for LDV fuel efficiency improvement	175
Table 4.2	Comparison of CO <sub>2</sub> -based fiscal measures on car acquisition and ownership in selected European countries (Based on a mid-size car, EUR 12 000 pre-tax purchase price – 1800cc gasoline engine – 4m long)	179
Table 4.3	2015 Japanese Top Runner standards for passenger vehicles	181
Table 4.4	Past achievements and future requirements for fuel economy targets	186
Table 4.5	Scrappage schemes in Europe, 2009	192
Table 4.6	GHG from vehicle production and use for Baseline and BLUE Map scenarios	194
Table 4.7	Optimum retirement age for lowering GHG emissions taking production and use into account	194
Table 4.8	Eco-driving programmes and target improvements in different countries or projects	198
Table 4.9	Estimated annual cost of congestion in the United States	200

<b>Chapter 5</b>	<b>Passenger travel</b>	<b>203</b>
Table 5.1	Trip modal shares of private motor vehicles in selected cities	206
Table 5.2	Assumed passenger-kilometre shares of urban and non-urban travel in 2005, by mode and region	212
Table 5.3	Municipal articulated hybrid bus tests in the United States	229
Table 5.4	LRT / Metro projects planned and under way by region	231
Table 5.5	High-speed rail lines existing or planned, by country (kilometres of track)	233
Table 5.6	Co-benefits: the impacts of different types of transport policy/technology	236
Table 5.7	Survey results of travel patterns in United States by residential location	238
Table 5.8	Urban design factors affecting traffic activity	239
Table 5.9	Parking measures - impacts on car use	247
Table 5.10	Car usage prior to and after subscribing to car sharing schemes	250
Table 5.11	Cost evaluation of car sharing schemes, 2006	251
Table 5.12	Potential savings in 2050 in car sharing scenario	251
Table 5.13	Characteristics of several road charging schemes	253
Table 5.14	Costs and impacts of various congestion charge systems	255
Table 5.15	BRT systems linked with CDM schemes	258
Table 5.16	Characteristics and CO <sub>2</sub> impact estimates for selected BRT systems	259
Table 5.17	BRT system and CO <sub>2</sub> cost reduction estimates	260
Table 5.18	Correlation between cycling infrastructure funding and cycling overall mode share	261
Table 5.19	On-street bicycle rental service around the world, 2009	263
Table 5.20	Potential cycling increase and impacts by 2050	264
Table 5.21	Walk to school schemes in place in Europe	265
Table 5.22	Simplified, indicative packages of modal shift policies and potential impacts on LDV travel	267
<b>Chapter 6</b>	<b>Truck and rail freight transport</b>	<b>269</b>
Table 6.1	An assessment of the impact of a range of economic factors on freight transport and energy use	278
Table 6.2	The impacts of policy measures on freight	301
Table 6.3	Trucking retrofit technology cost-effectiveness in the Canadian context	309
Table 6.4	A rough guide to energy savings measures for truck and rail transport	311

<b>Chapter 7</b>	<b>Aviation</b>	<b>313</b>
.....		
Table 7.1	Potential savings in time and fuel from improved ATM and airport operations	327
Table 7.2	Future aircraft fuel intensity reduction potential compared to today's aircraft	330
Table 7.3	Trade-offs between noise, air quality and climate from various measures	331
Table 7.4	Fuel savings and costs from new generation planes	335
Table 7.5	Aircraft fuel and CO <sub>2</sub> reduction cost estimates	336
Table 7.6	Fleet renewal acceleration costs	338
<b>Chapter 8</b>	<b>Maritime transport</b>	<b>339</b>
.....		
Table 8.1	Maritime traffic forecasts from IMO	348
Table 8.2	Overall vessel design options	353
Table 8.3	Engine design options	355
Table 8.4	Propulsion system options	356
Table 8.5	Other technology strategies	357
Table 8.6	Operational strategies	358
Table 8.7	Comparison of yearly container service costs	362
<b>Annex A</b>	<b>Mobility Model Documentation</b>	<b>369</b>
.....		
Table A.1	Sectors, fuels and data contained in the passenger LDV module	372
Table A.2	MoMo regional aggregation system	373

## LIST OF BOX

<b>Chapter 1</b>	<b>Transport trends and future scenarios</b>	<b>43</b>
.....		
1.1	IEA Mobility Model (MoMo)	48
1.2	Population, GDP and oil price assumptions	56
1.3	Passenger LDV ownership projections	59

<b>Chapter 2</b>	<b>Transport fuels</b>	<b>71</b>
2.1	Algae-derived biofuels	93
<b>Chapter 3</b>	<b>Light-duty vehicles</b>	<b>113</b>
3.1	Battery characteristics and costs	147
3.2	A key finding: 50% fuel economy improvement is cost-effective	168
<b>Chapter 4</b>	<b>Light-duty vehicle efficiency: policies and measures</b>	<b>171</b>
4.1	IEA, the G8, and Efficiency Policy	173
4.2	The Global Fuel Economy Initiative and 50-by-50 campaign	184
4.3	Comparing Fuel Economy across Regions	190
4.4	Vehicle scrappage schemes in Europe: life cycle impacts on CO <sub>2</sub> emissions	192
<b>Chapter 5</b>	<b>Passenger travel</b>	<b>203</b>
5.1	The European urban bus fleet	226
5.2	Hybrid bus testing in the United States	228
5.3	High speed rail development	232
5.4	Cities from scratch	240
5.5	Some parking statistics	245
5.6	Parking case studies	245
5.7	Intelligent transport systems use in the German truck charging system	254
5.8	BRT and the clean development mechanism (CDM)	258
5.9	Cycling case study: Copenhagen	262
5.10	On-street bicycle rental services around the world: Political fashion or alternative mode?	263
5.11	Working to school: a virtuous circle	265
<b>Chapter 7</b>	<b>Aviation</b>	<b>313</b>
7.1	Aviation's contribution to climate change	320

Chapter <b>8</b>	<b>Maritime transport</b>	<b>339</b>
8.1	Fuel use and CO <sub>2</sub> emissions from maritime transport are uncertain	341
8.2	Maritime transport: net cooling impacts?	345
8.3	Costs and marginal CO <sub>2</sub> abatement from speed reductions for container vessels	361